



Accelerating Information Technology Innovation
<http://aiti.mit.edu>

Lecture 04: Arrays

AITI Nigeria Summer 2012
University of Lagos.

What are Arrays?

- An array is a series of compartments to store data.
- Essentially a block of variables.
- In Java, arrays can only hold one type.
- For example, `int` arrays can hold only integers and `char` arrays can only hold characters.

Array Visualization and Terms

- Arrays have a type, name, and size.
- Array of three integers named `prices` :

- `prices` :

int	int	int
-----	-----	-----

- Array of four Strings named `people`:

- `people` :

String	String	String	String
--------	--------	--------	--------

(Indices) 0 1 2 3

- We refer to each item in an array as an *element*.
- The position of each element is known as its *index*.

Declaring an Array

- Array declarations similar to variables, but use square brackets:

- `datatype [] name;`

- For example:

- `int [] prices;`

- `String [] people;`

- Can alternatively use the form:

- `datatype name [];`

- `int prices [];`

Allocating an Array

- Unlike variables, we need to *allocate* memory to store arrays. (*malloc()* in C.)
- Use the `new` keyword to allocate memory:
 - `name = new type[size];`
 - `prices = new int[3];`
 - `people = new String[5];`
- This allocates an integer array of size 3 and a String array of size 5.
- Can combine declaration and allocation:
 - `int[] prices = new int[3];`

Array Indices

- Every element in an array is referenced by its index.
- In Java, the index starts at 0 and ends at $n-1$, where n is the size of the array.
- If the array `prices` has size 3, its valid indices are 0, 1, and 2.
- Beware “Array out of Bounds” errors.

Using an Array

- We access an element of an array using square brackets `[]`:

- `name[index]`

- Treat array elements just like a variable.
- Example assigning values to each element of `prices`:

- `prices[0] = 6;`

- `prices[1] = 80;`

- `prices[2] = 10;`

Using an Array

- We assign values to elements of String arrays in a similar fashion:

```
- String[] people;
```

```
- people = new String[5];
```

```
- people[0] = "Michael";
```

```
- people[1] = "Michelle";
```

```
- people[2] = "Cory";
```

```
- people[3] = "Zach";
```

```
- people[4] = "Julian";
```


Initializing Arrays

- You can also specify all of the items in an array at its creation.
- Use curly brackets to surround the array's data and separate the values with commas:

```
- String[] people = {"Michael",  
    "Michelle", "Zach", "Cory",  
    "Julian"};
```

```
- int[] prices = {6, 80, 10};
```

- All the items must be of the same type.

Vocabulary Review

- Allocate - Create empty space that will contain the array.
- Initialize - Fill in a newly allocated array with initial values.
- Element - An item in the array.
- Index - Element's position in the array.
- Size or Length - Number of elements.

Review 1

Which of the following sequences of statements does not create a new array?

a) `int[] arr = new int[4];`

b) `int[] arr;`
`arr = new int[4];`

c) `int[] arr = { 1, 2, 3, 4};`

d) `int[] arr;`

Lengths of Array

- Each array has a default *field* called `length`
- Access an array's `length` using the format:
 - `arrayName.length`;
- Example:
 - `String[] people = {"Michael", "Michelle", "Zachary", "Cory", "Julian"};`
 - `int numPeople = people.length;`
- The value of `numPeople` is now 5.
- Arrays are always of the same size. Their lengths cannot be changed once they are created.

Example

- **Sample Code:**

```
String[] people = {"Gleb",  
    "Lawrence", "Michael",  
    "Stephanie", "Zawadi"};  
  
for(int i=0; i<names.length; i++)  
    System.out.println(names[i]+"!");
```

- **Output:**

Gleb!

Lawrence!

Michael!

Stephanie!

Zawadi!

Review

- Given this code fragment:
 - `int[] data = new int[10];`
 - `System.out.println(data[j]);`
- Which are legal values of `j`?
 - a) -1
 - b) 0
 - c) 3.5
 - d) 10

Review

- Decide what type and size of array (if any) to store each data set:
 - Score in each quarter of a football game.
`int[] quarterScore = new int[4];`
 - Your name, date of birth, and height.
Not appropriate. Different types.
 - Hourly temperature readings for a week.
`float[] tempReadings = new float[168];`
 - Your daily expenses for a year.
`float[] dailyExpenses = new float[365];`

Exercise

- What are the contents of `c` after the following code segment?

```
int [] a = {1, 2, 3, 4, 5};
int [] b = {11, 12, 13};
int [] c = new int[4];
for (int j = 0; j < 3; j++) {
    c[j] = a[j] + b[j];
}
```


2-Dimensional Arrays

- The arrays we've used so far can be thought of as a single row of values.
- A 2-dimensional array can be thought of as a grid (or matrix) of values.
- Each element of the 2-D array is accessed by providing two indices: a row index and a column index.
- A 2-D array is actually just an array of arrays

	0	1
0	8	4
1	9	7
2	3	6

value at row index 2,
column index 0 is 3

2-D Array Example

- Example: A landscape grid of a 20 x 55 acre piece of land. We want to store the height of the land at each row and each column of the grid.
- We declare a 2-D array two sets of square brackets:
 - `double[][] heights;`
 - `heights = new double[20][55];`
- This 2-D array has 20 rows and 55 columns
- To access the acre at row index 11 and column index 23: `heights[11][23]`